

## **Goldcoin Group of** Companies

\_|


#### • Headquarter Survey no.: 79, National highway 27, Village: Shapar, Dist.: Rajkot - 360 024. Gujarat (INDIA)

1

≥ info@goldcoinfoam.com

www.goldcoingroups.com

• Mumbai Marketing Office 301, Kingston, Tejpal road, Vile parle (East), Mumbai - 400 057







# ZERO WASTE, SAVE EARTH



Chairman and managing director

## From the Desk

Sustainability remains the number-one topic across the packaging value chain, with corporations setting ambitious targets to improve their performance. High disposable incomes and changing lifestyles have led to the increase in the consumption of packed goods and eretailing channels, which in turn drive the demand for protective packaging. Moreover, with increasing awareness about environmental hazards, the market is adopting technologies to develop sustainable protective packaging, which is environment- friendly. India is estimated to grow faster than any other country because of its strong economic growth along with increase in internet shopping and rapid urbanization.

Protective packaging, be it rigid or flexible is projected to be one of the fastest growing product type segment globally. Apart from packaging, it is a known fact that a considerable amount of energy utilised in industries, residences, corporate offices, educational institutes & many other places is lost due to inappropriate insulation, which eventually slows down the overall economic development. This situation is very alarming, and we took an initiative towards the conservation of energy and thus contribute towards the global growth by giving the society the right product (XLPE) in 2015 for conservation of energy. We took a step forward in assisting our customers

in protective covering segment by manufacturing Cross Laminated Tarpaulins since 2022.

We have been successful in manufacturing 14 varied products in flexible & rigid packaging, insulation and abrasive segments. As a strategic decision, inorder to cater to all the manufacturers in Automobiles, Electronics and White goods, we have started our fabrication & converting factories in the proximities of all these manufacturers for Just in Time supply targets.

I take this opportunity to thank our valued customers & suppliers, whose continued patronage and confidence in our product inspires us to extend the best of services and enables us to provide value for their money.

We are committed to total customer satisfaction by identifying their specific needs, translating them into Quality products and providing dependable after sales services. This commitment is the corner stone of our Quality Policy and we strive to achieve this goal through our strength- Goldcoin Team; and seek their continuous involvement in achieving the company's objectives. I therefore, seek continued patronage of our valued customers, suppliers, cooperation of our Goldcoin Team thanks our well- wishers who have contributed towards the growth of our organisation.

AS. Refer

# Our team members





#### Mr. Mahesh Pansuriya

**Director** - Finance

Mr. Mahesh Pansuriya has gained expertise in controlling the whole financial aspects for the entire Goldcoin Group. He has been responsible for financial planning, funds allocation, budget approval and raising funds for upcoming projects. He is the backbone for the Group as his effective and efficient expertise in handling all the incoming and outgoing funds has enabled the Group to witness a stupendous growth over these years without facing any financial glitches.



#### Mr. Bharat Vedia

Director

Mr. Bharat Vedia based in Thailand, handles 2 manufacturing plants in Thailand for similar range of products manufactured in India and also one plant for manufacturing specialised masterbatches and additives for engineering and commodity polymers. Also, with his vision and having travelled across the globe, he imparts a lot of inputs in terms of new development in various parts of the world.



#### Mr. Lalit Pansuriya

**Director - Procurement** 

Mr. Lalit Pansuriya has an experience of more than 25 years in sourcing spares and accessories from various parts of the world and he is solely responsible for all the electronics, mechanical and electrical components required in any of the machines in our factories. With his expertise and contacts the Group saves on machine downtime drastically and thereby improving the overall productivity.



#### Mr. Ramesh Tilara

**Director** - Projects

Mr. Ramesh Tilara is one of the founder members of the Group. With his vast experience of more than 3 decades of handling new projects has mastered him in project implementation, execution right from construction of new plants, machine mobility and commissioning. With his support and hands on experience, the Group is inching ahead with smooth and efficient operations. He is also responsible in developing some customised equipments and machines for secondary operations for some specialised applications.



#### Mr. Chetan Mehta

Group CEO

Mr. Chetan Mehta qualified Plastics Engineer and a Packaging Technologist and with a rich experience in handling various machinery and projects has given him an upper edge in Product Research & Analysis and working on project feasibility. After travelling globally and having attended various conferences and exhibitions, his prime responsibility lies in new product identification, suiting to domestic and global markets and selecting right kind of machinery & equipments. He is also responsible in handling some key overseas customers.

Mr. Henil Pansuriya



Ms. Aayushi Pansuriya

The second generation entrepreneurs has proudly joined our esteemed group since 2023, right after their graduation. Their invaluable contribution to the group lies in harnessing their extensive knowledge to drive the overall growth of our organization. they will be assisting the group in establishing efficient systems, overseeing financial matters, and ultimately propelling our group towards new horizons. Together, we aim to position our group as a formidable presence on the global platform.







Ms. Henisha Pansuriya

# Vision

To offer products which are sustainable and recyclable and to create a positive impact by working towards reducing the waste generation, improving the recyclability, and thus eyeing towards protecting our environment and conserving the natural resources.

# Mission



02


01 To cater cost effective, well tailored and top quality Plastic Packaging products to our customers.

To become a single source manufacturer and supplier in Packaging, Abrasives & Insulation segment.

Values

## "

Growth is never by chance, it is a **result** of forces working together



# The Journey of **Goldcoin Group of Companies**

The journey of Goldcoin Group began in 2005, when the founder members Mr. Ashvin Pansuria & Mr. Ramesh Tilara lead the foundation stone for the company Goldcoin Foam Pvt. Ltd. In such a brief span, with the support & dedicated hard work put in by the team of more than 1000 workforce & of course with a strong vision & conviction from Mr. Ashvin Pansuria, the Group has attained greater heights. To add to it, we have Mr. Chetan Mehta who has joined us as Group CEO since 2014 who is a Plastics Engineer & a Packaging Technologist.

The Group has expanded its manufacturing to 15 different products mainly in protective packaging & insulation. The Group is ISO 9001:2000 Certified & HVAC Certified.

Presently with 9 manufacturing facilities, 13 fabrication units, 1 trading houses & 1 marketing Office, the Group is marching ahead with a jet speed and the growth is inevitable. With the above setup, we have diversified ourselves and have been successful in manufacturing following products with the highest quality standards:



Apart from strong market share in India, the Group exports its products to countries like USA, Australia, New Zealand, United Kingdom, Sharjah, Dubai, Qatar, Thailand etc.

Also, the Group has a full-fledged warehousing company in Australia, which takes care of Australia, New Zealand & Fiji. The Group's growth since inception has been phenomenal, thanks to the dynamic & progressive management. The driving force behind the success has been enthusiasm in exploring new products.

The Group has latest manufacturing facilities with all State of The Art extrusion lines mainly from the most reputed manufacturers located in different parts of the world. We pledge to offer the best quality products to all our customers, with continuous quality improvisation. We are growing



rier Tubes	11	Kraft Paper Corrugated Box
oor Sheets	12	Xlpe Chemically Cross Linked Foam For Thermal Insulation
ms For Wrapping	13	CPP Films For Flexible Packaging In Food
d & Industrial bad and wheels	14	Wooden Pallet & Boxes





#### 17 Goldcoin Polypack Industries Kothariya, Rajkot Est. 2023

Total packaging solution

#### 02 Goldcoast Polyplast Est. 2006

Manufacturing of air bubble

#### 01 Goldcoin Foam Pvt. Ltd. Est. 2005

Manufacturing of EPE foam, EPE foam net, cross laminated tarpaulin

# GOLDCOIN G

# CON TEN

- 01 Goldcoin Foam Pvt. Lto
- EPE Foam
   EPE Foam Net
   Multi Layer Cross Lamina
- Goldcoast Polyplast
  Air bubble Film
- 02 Goldcoin Polyplast PP Flute Board
- PE Stretch Film
- 03 Goldcoin Industries Pv
- XLPE Insulation foam
   THERMbarriere UV Lamir
- 04 Goldcoin Angel CPP Fi
- CPP Films
- 05 Goldcoin Abrasive Pvt.
- Glorious Household Abr ArmourX Industrial Pad
- 06 Goldcoin Abrasive Wh
- Abrasive Wheels
- 07 Goldcoin Packaging In
  - Kraft Paper Box

- 08 Shivalay Goldcoin Woo
- Wooden Pallets & Boxes
- 09 Goldcoin Polypack Ind Goldcoin Polypack Ind Maruti Packaging Shap Goldcoin Packaging, A Goldcoin Technopack ( Goldcoin Packaging-U Goldcoin Multipack Ind Goldcoin Multipack Ind Goldcoin Packaging Py Goldcoin Packaging Co Goldcoin Packaging So Goldcoin Packaging So Goldcoin Hitech Packa Goldcoin Packaging So
- Protective Packaging & N

td.	10-27
	12
	14
ated Tarpaulin	16
	24
	28-35
	30
	33
vt. Ltd.	36-45
	38
inated Tubes	42
ilm Pvt. Ltd.	46-61
	48
t. Ltd.	62-71
rasive Pad	64
	68
heels	72-73
	72
ndustries	74-75
	74
oden Industries	76-77
;	76
dustries Metoda, Rajkot dustries Kothariya, Rajkot	78-89
apar, Rajkot	
Ahmedabad	
Changodar, Ahmedabad	
Jnit-II, Ahmedabad	
vt. Ltd. Vadodara	
ndustries Vadodara Pvt. Ltd. Unit - II Vapi	
Pvt. Ltd. Vasai, Mumbai	
Corporation, Navi Mumbai	
Soultion, Pune	
olutions Ranjangaon, Pune	
aging, Hyderabad	
Australia) Pty. Ltd.	
Material Handling Division	





## 01 EPE FOAM

#### Product Range

No.	Property
01	0.85mm to 5mm single layer roll
02	5mm to 40mm multi layer roll
03	15mm to 150mm multilayer sheet
04	Natural EPE foam roll & sheet
05	Antistatic EPE foam roll & sheet (As per customer requirements)
06	Fire retardant EPE foam roll & sheet (As per custome requirements)

07 EPE foam with HM HD film laminate roll (As per customer requirements)





**Features** 

- Resillience
- Cushioning
- Shock absorption
- Flexibility
- Abrasion
- Resistance
- Light weight
- Soft and tough
- Ease of fabrication / lay
- Water / Moisture resistant
- Chemically inert
- Oil resistant
- Non toxic
- Hygienic & Fungal resistant
- Sound / Vibration dampener
- Wider temperature range
- CFC free


01 EPE foam

#### Application

Ceramic products and sanitary wares • Electronic euipments • Handicrafts • Submersible pumps • Insulation • Automobiles • Marine • Construction • Jewelry packing • Toys & novelties • Mattress • Packaging • Fabrication • Buffers • Mandap decoration • Furniture industry • Roofing • Carpet & mats • Sports • All type of bags, Shoes, Floring, Cold storage, Tent house, Bus Seat

#### **Technical Specification**

No.	Property	Unit	Value	Remarks
01	Density	Kg / Mtr 3	18 - 50	As per ISO : 845
02	Tear strength	Kg / Cm	Upto 0.7	As per ISO : 8067
03	Tensile strength			
	<b>a.</b> Transverse direction	Kg / Cm 2	1.5 - 3.5	IS : 7888
	<b>b.</b> Machine direction	Kg / Cm 2	2.5 - 5.0	- do -
04	Elongation at break			
	<b>a.</b> Transverse direction	%	50 - 70	IS : 7888
	<b>b.</b> Machine direction	%	80 - 100	- do -
05	Compressive strenght at 10%	Kg / Cm 2	0.08 - 0.20	
06	Water absorption 96 hours at 27° working	%	0.01 - 0.50	
07	Thermal conductivity at 50° C mean temp.	K-cal / Hr.m0C	0.015 - 0.028	As per ASTM C 177
08	Chemical resistance		Excellent	





Available				
Colors	White	Black	Pink	Blue







Green



## **02** | EPE FOAM NET

#### Product Range

No.	Sizes Available
01	50mm x 100mm
02	50mm x 140mm
03	50mm x 330mm
04	60mm x 100mm
05	60mm x 140mm
06	70mm x 150mm
07	40mm x 80mm x 180mm
08	50mm x 80mm x 220mm





**Features** 


- Protection & decoration of your products
- Flexible and easy to use
- Hygienic and non toxic
- Economical and reusable
- Goods, especially suitable for fruits, bottles and other fragile products
- Make your fruits more eye catching, neat and exclusive
- Size and colour customisable
- Soft, light weight

02 EPE Foam Net

Application

02 EPE Foam Net

Fruit packaging • Vegetable packaging • Packaging of glass bottles







Available Colors

White Dark Grey

Blue Light Pink







Blue

Yellow



## 03 | Multi Layer Cross Laminated Tarpaulin

#### **Essential Characteristics**

**GOLDCOIN** 

Manufactures with high standard parameters and close tolerance • High tensile strength & puncture resistance in multi direction

• 100% waterproof with good barrier property & moisture resistance • Chemical resistance to acid, alkalis, stain, oil etc.

• Thus making it extremely convenient to handle & use light weight • UV treated to resist harsh rediations • Tough & durable with strong

aluminium eyelets • Fire retardant as per customer requirements • Rot proof • Heat sealed joints, thus protecting from any leakage

• 100% recyclable and thus environment friendly



#### Available Range of Multilayer Cross Laminated Tarpaulin

#### GSM / Thickness

70, 90, 100, 120, 150, 200, 250, 300, 350 GSM & Above


#### Sizes

Goldcoin Tarpaulin offers a wide range of size and also long size which can be fabricated to a custom-made size as per customer's need.

#### Colour

Any colour our standard colour are



















## Agricultural

Goldcoin Tarpaulin has wide use for agricultural applications. Available in variety of sizes and can also be made available in customized sizes.



Fast & Effective Drying Using Tarpaulin

# 01 —

#### Drying of Agriculture Products Such as

Spices • Chillies • Areca nuts • Coconut • Turmeric • Grapes • Rubberized items, etc.





**Cover Fresh Harves, Protects Freshness** 

## 02 — Silage and Grain Covers

Goldcoin Tarpaulin protects goods from air and water intrusion and reduces loss of moisture, retains freshness and preserves nutritional values.






#### 03 — Fumigation Barriers

Goldcoin Tarpaulin can also be used as a containment cover to maximize and economize fumigation process as it has good barrier property that prevents easy escape of fumigated gases and provides good impact.

It also has lower VOC emission into the atmosphere.





#### 04 — Poultry curtains

Goldcoin Tarpaulin is used as poultry curtains to protect chickens from extreme weather, heat, cold or rain.

#### 05 — Vermibeds

is a process of managing worms to convert organic matter / waste to rich manure in a short period of time. To facilitate vermi composting, a suitable ambient temperature must be maintained and must avoid heat build-up as the earthworms are sensitive to heat. Use of Goldcoin Tarpaulin for vermibeds presents immense advantages as it helps in temperature control.

#### 06 — Pond Liner

Due to vagaries of rainfall, Government is encouraging and supporting water conservation and storage. One of the most popular method is by creating artificial pond / storage reservoir. Goldcoin Tarpaulin offers excellent solution for it as it has high resistance to puncture or tear, light weight and is rot resistance.







**Effective Landfill Covers** 

Due to high gas barrier and water barrier, Goldcoin Tarpaulin can also be used to cover landfill, etc. as it prevents odour/gas from spreading.





Tarpaulin used as Cotton Cover

## 08 –

#### Covers

Goldcoin Tarpaulin is puncture and tear resistance ideal for cover.





#### 09 -Industrial & Transportation Covers

Goldcoin Tarpaulin can be used as a wrap film / cover to protect cargo from dust, moisture and minor scratches.







Goldcoin Tarpaulin in green houses provides optimal protection against heat, cold or heavy rains. Special ingredients and design provide light transmission that is indirect or defused with equal light dispersion due to special additives used while it prevents harmful UV rays.

## 11 — **Civil Engineering**

Goldcoin Tarpaulin is an ideal material for use as a waterproof layer in civil engineering / construction.

As it prevents moisture / vapour migration through concrete slab.

## 12 -Lumber Cover / Timber Pack

Lumber wrap is a special film which blocks sun rays and prevents heat build-up. Goldcoin tarpaulin Prevents condensation and staining of wood.



GOLDCOIN

## **Clever Protective** Cover

"TO SAFEGUARD MOST VALUABLE PRODUCT"

#### Features

- Durable high strength material
- Dual seal joint
- Highest international standards put through rigorous testing

#### Customization

Made as per your requirement (Size, Colour, Thickness..)

## Gardengrow Bags

The garden grow bags are soft, light and durable bags with High resistance to puncture and tear Low coefficient allows easy, fast and safe moving of plants. Moisture from plant bag can easily drain out and the air is able to circulate around your plant and its roots

#### **Different Sizes**

- 20.5 Ø X 1 Ft
- 40 Ø X 1 Ft
- 12 Ø X 1 Ft



#### **Quality and Standards**

It is made up of specifically chosen polymers and MFG by Higher quality of workmanship and technology. It is manufactured as per ISI Standard 14611-2016(Multilayer Cross Laminated Tarpaulin)

#### Technical data sheet of multilayer cross laminated film as per is standard.

No.	Characteristics		Requiements	
01	Total mass per Unit Area, Min, g/m2	LN (Light Duty)	MN (Medium Duty)	HN (Heavy Duty)
		60-100 GSM	110-150 GSM	200-250 GSM
02	Tensile Strength (kg/cm2, Min)	Kg/cm2	Kg/cm2	Kg/cm2
	a. Longitudinal Direction	250	250	250
	<b>b.</b> Transvers Direction	200	200	200
03	After ageing at 70 +/- 1'C FOR 168h			
	a. Longitudinal Direction	30% Decrease from	n the original	
	<b>b.</b> Transvers Direction			
04	Elongation Break(%, Min)	%	%	%
	a. Longitudinal Direction	400	400	400
	<b>b.</b> Transvers Direction	300	300	300
05	Tear Strength, Min	%	%	%
	a. Longitudinal Direction	1200	2080	3000
	<b>b.</b> Transvers Direction	900	1550	2750
06	After ageing at 70 +/- 1'C FOR 168h			
	a. Longitudinal Direction	30% Decrease from	n the original	
	<b>b.</b> Transvers Direction			
07	Dart Impact Strength,g Min	g	g	g
07		250	400	700
08	Average tensile strength and elongation			
	break after exposing to UV radiation and weathering changes	30% Decrease from	the original	
	weamening changes			

Note : The above values may very as per GSM of the sample. This information is for awareness only. GFPL will not be responsible for any miscoduct, misuse of product or information shared here.



## **04** | AIR BUBBLE FILM

#### **Technical Specifications**

Name	Details
Water absorption	0.02% after 14 hrs.
Chemical resistance	Excellent
Thermal conductivity	Very low
Service temperature	8 degree C+60 degree C
Transparency	T-90%
Tensile elongation at break	More than 200%
Bursting strength	More than 2500 kg/cm³
Bubble diameter	10 mm
Bubble density	8150 Nos/Sq. mt.
Maximum width	2.0 mtr
Length available	Upto 100 mts.
GSM available	40 GSM to 180 GSM

#### **Product Features**

Transparent, hygienic, dust free & non toxic • Can be easily wrapped around the product for cushioning • Resistant to moisture • Provides excellent surface protection against accidental impact & scratches • Can be supplied in roll form or in customized fabricated forms such as pouches • cut pieces, wraparounds etc. • Various laminates available such as foam, film (printed or unprinted) • Environment friendly product. 100% recyclable.





#### Application

Used as protective packaging • Used in electronic and automobile industries • Meagerly used in pouch form by electronic, Automobiles, furnitures and other industries to protect fragile equipments • Flexible & light weight packaging

#### **Product Range**

Guage	GSM	Weight for 1 mtr. rools	Weight for 1.5 mtr. rools	Weight for 2 mtr. rools
175	40	4.00	6.00	8.00
200	45	4.50	6.75	9.00
220	50	5.00	7.50	10.00
230	54	5.40	8.10	10.80
240	55	5.50	8.25	11.00
250	57.5	5.75	8.60	11.50
260	60	6.00	9.00	12.00
280	65	6.50	9.75	13.00
300	70	7.00	10.50	14.00
325	75	7.50	11.25	15.00
350	80	8.00	12.00	16.00
380	87	8.70	13.05	17.40
400	90	9.00	13.5	18.00
450	105	10.50	15.75	21.00
480	110	11.00	16.50	22.00
500	115	11.50	17.25	23.00
550	125	12.50	18.75	25.00
600	140	13.50	21.00	27.00
700	160	16.00	24.00	32.00
800	180	18.50	27.50	37.00





Page 25 | www.goldcoingroups.com







R

GOLDCOIN

\_






Page 26 | www.goldcoingroups.com

#### Goldcoin Foam Pvt. Ltd.

#### • Headquarter

Marketing

Survey no.: 79, National highway 27, Village: Shapar, Dist.: Rajkot - 360 024. Gujarat (INDIA) ☑ info@goldcoinfoam.com





🔮 +91 99241 28628 ≥ jaybalajigoldcoin@gmail.com

0		
Ms. Sasmita Barik	0	+91 992
EPE Foam / Air Bubble Film		sales@go



www.goldcoingroups.com

+91 99241 55570 keyur@goldcoinfoam.com

> 241 24024 oldcoinfoam.com



# **Goldcoin** Polyplast

Goldcoin Polyplast is a group company of the renowned Goldcoin Group, that delivers quality protective packaging products. Goldcoin is the ultimate packaging solution that provides services in domestic as well as in international markets.

Equipped with complete know-how, Goldcoin Polyplast manufactures PP Profile Hollow Sheets, PE fabricated products and boxes.



## 05 | PP FLUTE BOARD

GOLDCOIN

Goldcoin PP flute board is available in eye catching attractive colours and shades. PP Flute board is printable and available in Matt & Glossy finish. Goldcoin PP flute board is reusable due to better hinge strength and stiffness, hence more economical. "PP FLUTE BOARD" is a versatile material for packaging of industrial as well as consumer goods including kits of electric and electronic items, tools, glass wares, textiles, shoes, medical kit and sample kit for tiles and many more.



PP Flute Board Available Range	
Thickness	: 2mm to 10mm, 12mm
Width	: Upto 2440mm as per customer requirement
Colours	: Yellow, White, Blue, Gray, Green, Red, Black,

PP Flute Board Special Grades	
Anti static	: For sensitive electronic components
Conductive	: For active electronic components
U.V. Stabilised	: For prolonged outdoor application
Fire retardant	: For construction & interiors

PP Flute Board Application Area		
Advertising	: Signage, POP, Hoarding, Display, Boards, Exh	
Packaging	: Master cartons, Packaging for fruits, Vegetable Lab ware, Auto parts, Electrics & Electronics, P	
Construction	: Porta cabins, Doors floorings, False ceilings, P	
Other	: Lab furniture, cooling towers, Pellets, Roofing Rular / Propaganda vans	





Red

Brown

Yellow

_				
Available				
Colors	White	Black	Pink	Blue



Orange and as per customer requirement

#### hibition stall

oles, Glass, Delicate items, Chinaware, Pharmaceuticals etc.,

Protective liner for wardrobe & Furniture paneling

for green house, Novelties, Boards for

Green

## PP FABRICATED PRODUCTS

**GOLDCOIN** 

We are passionate about providing the best PP products to our clients. For us, polypropylene is versatile and perfectly suited for just about any application.

We have a full fabrication facility in house to convert sheets into customized fabricated products. These products are manufactured with durable materials sheets and specifically designed for multiple trips and extended life. They are durably made to support multipurpose uses without the impairment of protective features. The term returnable is also used interchangeably. It includes returning packages or components other than recycling, disposal, incineration, etc. Our fabrication facility include platen punching and flatbed die cutting machines, roller cutting, ultrasonic welding, riveting, edge sealing.





Goldcoin Cast Stretch Films protect your products from scratches, abrations, stains and other damage and ensure that they reach your customers as good as new. Our Cast Stretch Films can be used for variety of loads and can help create load securization for your goods in transit.









 $\rightarrow$ 

#### Benefits of cast stretch films

- Protect against moisture, dirt and micro particles safegaurding the goods
- Easy to remove as it dosen't use any additional adhessive
- High clarity / Transparent

Machine Grade Roll	: Superior load retention to reduce shifting and movement. Excellent puncture resistance with better protection and cleaner film. Suitable for conventional and power pre stretch machine wrapping of palletized goods.
Hand Grade Roll	: Lightweight and easy to use. Manual wrapping of palletized wood, bricks, paper and other industry products.

#### Advantages of Goldcoin stretch film

- Stretch film protect against moisture, dirt and micro particles safe guarding the goods.
- Easy visible / Transparent.
- Easy to remove as it doesn't use any additional adhessive.














#### **Goldcoin Polyplast**

Manufacturers of PP Flute board, PE Stretch film

#### **Manufacturing Unit** 0

Survey No. 37, NH 27, B/H Ganga Forging, Village Shapar, Taluka: Kotda sangani, Dist.: Rajkot - 360 024. Gujarat (INDIA) 🔇 +91 63522 66276 🌐 www.goldcoinpolyplast.com





Mr. Manish Vora	
Director	
21	

+91 97149 67707 Info@goldcoinpolyplast.com

**Export Sales** 

#### **Domestic Sales**

- +91 99241 66670





+91 99247 70670 ≥ Info@goldcoinpolyplast.com

+91 63522 65962








## 07 | XLPE INSULATION FOAM







#### **Product Range**

- Available in various thickness from 2.5mm to 250mm as per customer requirements
- Material density as per order (25 - 250 kg/m3)
- FR Material available as per customer requirements
- Available with Adhesive backing on customer request
- Available with various factor applied lamination such as Metalized film, Aluminium foil, UV films one side & both side is available on customer request.
- Material width customisable (max 2500mm)

#### **Technical specifications**

No.	Property	THERMbarrier Typico	al Values		Test Method
01	Material description	Fire retardant chemically of polyethylene foam insulati		d closed cell	
02	Material form	Rolls, sheets and tubing			
03	Applications	Thermal accoustic insulati industry	on textile,HVAC	C and building	
04	Operating temperature	-40 C° to + 115 C°			
05	Thermal stability	Less than 5% shrinkage at	90° C for 24 ł	nours	
06	Colour	Grey, Natural and Black			
07	Thermal conductivity (W/m° K)	Mean temperature (°C) 0° C 23° C 46° C	W/m° K 0.0318 0.0328 0.0383	K Cal/hr m° C 0.0273 0.0282 0.0329	IS : 3346 / 1980
08	Fire characteristic (FR)	Class '0' Class '1'			BS476 Part 6 BS476 Part 7
09	Resistance to chemical (for both mild acidic & alkaline)	No effect			ASTM D 543 : 21
10	Sound transmission class	40db			IS : 9301 / ISO 140/ ASTM E 413
11	Fungal resistance	No growth observed			ASTM G 21
12	<ul> <li>Smoke density</li> <li>a. Smoke density rating Light absorbtion</li> <li>b. Maximum smoke density Light absorbtion</li> </ul>	6.5% 13.1%			ASTM D 2843 : 99
13	Tensile strength, MPa <b>a.</b> Longitudinal direction <b>b.</b> Transverse direction	5.5 5.5			BS4370 Part 2 : 1993







#### Insulation

#### Application

Air duct and pipe insulation for cooling, heating and refrigeration pipes, insulating wrapping, impact sound insulation, air conditioning parts, Building and construction, automotive and industrial

#### **Advantages**

- Low thickness for efficient anti condensation
- Low thermal conductivity
- High resistance to water-vapour diffusion (no capillary effects)
- High elasticity and flexibility
- Lightweight / easy to install
- Environment friendly

#### Construction

#### Application

Gasket taps, padding for remote heating, corrugated panel seals, screed floors, joint fillers, parquet underlay, corrugated roof insulation, tunnel insulation, membrance protection, etc.

#### Advantages

High elasticity

Low water absorption

- Excellent thermal insulation
  - Highly stable over time
    - Good impact sound insulation

• Highly scratch-resistant





#### **Sports and Leisure**

#### Application

Sport shoes insoles and inners, camping mats, sports and gymnastics mats, swimming board, seat cushions, life jackets, swimming accessories, toys, helmet lining, shoulder pad and backpacks.

#### **Advantages**

- High elasticity
- Low water absorption
- Friendly to skin

• Non toxic


Acoustics

#### Application

It is used in sound insulation in projects to minimize noise of generator and compressor enclosures. It is also used in theaters and sound studios, also in construction projects and air ducts.

#### Advantages

- Lightweight
- Sound absorbtion
- Energy efficient Environment friendly
- Improved productivity





## Application

For moulded and stamped parts used in interior cladding, e.g. linings for wheel arches and car boots, door insulation seat covers, insulation for heating and air conditioning, etc.

#### **Advantages**

- Lightweight
- Outstanding thermoforming behavior

## Packaging

#### Application

Packaging interlayer, reusable packaging for the motor and electrical industries, load-carriers, corner protection, outer packaging, tray holder, distance holder, etc.

#### **Advantages**

Very good forming behaviour

• Clean and easy to use

- Excellent recovery
- Excellent padding qualities
- Lightweight • Multiple re-use



## Application

#### Advantages

- Highly versatile




Page 40 | www.goldcoingroups.com

- Easy to clean Long service life • Soft and comfortable
  - - Multiple colors



#### **Automotive Industry**

- Excellent insulation
- Totally acceptable ecologically
- Thermal insulation
- Shock proof
- Lightweight
- Weather resistant



#### **Rebonded foam**

Mattresses, Sofa cushions, Gym mats, Automotive seating, Sound proofing, Packaging.

- Extremely high density Lighweight build
- Sound proof
- Shock absorbents
- High indentation load deflection






## **08 | THERMBARRIER TUBES**

Premium performance pipe insulation offering lower installation costs and maximum energy savings





#### Application

Copper pipe insulation of internal and external units • Chilled and hot water pipes • Oil and Gas pipes • Pharmaceutical, food and beverages industries. • Hospitals

#### **Features**

- Easy to install Provides heat and sound insulation of the area it is applied Close cell structure Low heat permeability
- High resistance against water and moisture Oppose high resistance against impacts Lightweight, elastic and durable
- Hardwearing Odorless Washable Antibacterial and hygienic
- Environmentally friendly, does not contain CFC & HFCF Soft and flexible

#### Product Range

Outer surface shaped optionally (pyramid shaped) • Production in the required density and wall thickness (I.D. and O.D.) • Film and foil laminations shapes in diffrent types • B-1, B-2, F/R (flame retardant)

#### **THERMbarrier Tubes**







Page 43 | www.goldcoingroups.com







## OUR CERTIFICATION

CERTIFICATE OF CONFORMITY

101/14/ 2014.100 01/125-00

No.To.


CERTIFICATE OF CONFORMITY

18 23 22 20 20 20 20

0 

0

THE ADDRESS AND THE		DUSTRIAL RESEARCH
	ne toente entite ne toente entite	DUSTRIAL REPEARCH TO SAMES PARAMETER REAL PROPERTY AND A
	THORPAS	-
Teacher Triation (1994) Electronic (1994)	eine -	for before
A CONTRACT OF ATRA.	Arrest Arrest Div	The United
Traday of Alline and	- Western	An and a second
PARTY CONTRACTOR OF A CONTRACT	ALB COMMON PERMIT	and streeting the second
sample and the state	Barty Salary of Lands Tree	Constrainty-states in the
F. Chapters in Vehicle or both methods and real both methods and and ended and and and and and and and and features that was not and and and features that features tha	122	THE OWNER IN
Free print Application (197		
aner tangines.		
	117	
Manager .		
		stick
		ALTERNAL THE AND
	The original states that the states in the s	
	Provension and Lowest	
117.124	GNC1	dore un
The second second		
BHHIRAM IN	STITUTS FOR IN	DUSTRIAL RESEARCH
We Thankard	BR - TEST DATA	White the second state of
	TELIGION	er romanna f
	-	
20012-017/20-01	times int	
Provide State of Street Street Street	-	
	un de Service and accession de la constant accession de la constant acc	Contraction of the local division of the loc
Hilling Control of State	Contract sealers with the	and the second second
and the	-44400	Transformed and load
A hidda and	all and	Address and an
1 Carlord Character	A Line Composition of	
B) Galacter and	and making Bear Shared	
b Solah Kommilahi an		
N Shelling make	and the second based based and the second based	**************************************
Constructions of the second seco		permitted (see
Conservations of the second seco		America (a. 17) Alexandra (a. 18) Alexandra (a. 18)
Constructions     Construction     Construction     Construction     Construction     Construction     Construction     Construction     Construction     Construction	9 11	permitted (see
H Say House Hole	9 11	permitted (see
English Comparison of the loss     Second Comparison of the loss     Second Comparison of the loss     Second Comparison of the loss	9 11	permitted (see
<ul> <li>Antice Leaves of the <ul> <li>Antice Leaves of the </li> <li>Antice Leaves of the </li> <li>Antice Mark and </li> <li>Antice Mark and </li></ul></li></ul>		anner m String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String S
<ul> <li>Angle Language (Filling)</li> <li>Angle Language (Filling)</li> <li>Contracting (Filling)</li> <li>Contracting (Filling)</li> <li>State (Filling)</li> <li>St</li></ul>	- 14 F -	permitted (see
<ul> <li>Alter Consumption</li> <li>Alter Consumption</li> <li>Construction</li> <li>Construction</li> <li>Construction</li> <li>Alter Alter Construction</li> <li>Alter Alter A</li></ul>		anner m String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String S
<ul> <li>Anticidade (1996)</li> <li>Anticidade (1996)</li> <li>Stransman, Anticidade (1996)</li>     &lt;</ul>		anner m String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String S
<ul> <li>Antica Consultation (1994)</li> <li>Antica Consultation (1994)</li> <li>Stransmooth (1994)</li> <li>S</li></ul>		anner m String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String S
<ul> <li>Alter Consumption</li> <li>Alter Consumption</li> <li>Construction</li> <li>Construction</li> <li>Construction</li> <li>Alter Alter Construction</li> <li>Alter Alter A</li></ul>		anner m String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String S
<ul> <li>Angle Consumption</li> <li>Angle Consumption&lt;</li></ul>		anner m String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String String S
Additional of the second		
<ul> <li>Best insure the set of the set</li></ul>	BUTUTE FOR D	Andreas and Andrea
Additional of the second		
<ul> <li>Bellingstreet and statements</li> </ul>		
A Section of the		
<ul> <li>Head Research and a second seco</li></ul>		
A Section of the	A CONTRACTOR OF A CONTRACTOR	
<ul> <li>Head Research and a second seco</li></ul>		
<ul> <li>Head Research and a second seco</li></ul>	A CONTRACTOR OF A CONTRACTOR	
A Section of the	A CONTRACTOR OF A CONTRACTOR	
A Section of the	A CONTRACTOR OF A CONTRACTOR	
Additional of the second	A CONTRACTOR OF A CONTRACTOR	
Additional of the second	A CONTRACTOR OF A CONTRACTOR	
A Section of the	A CONTRACTOR OF A CONTRACTOR	
A Section of the	A CONTRACTOR OF A CONTRACTOR	
A Section of the	A CONTRACTOR OF A CONTRACTOR	
A Section of the	A CONTRACTOR OF A CONTRACTOR	
<ul> <li>March Iongo Holdson</li> <li>March Iongo Holdson&lt;</li></ul>	A CONTRACTOR OF A CONTRACTOR	
<ul> <li>Hand Home Home Home</li> <li>Hand Home Home Home</li> <li>Hand Home</li> <li>Hand Home Ho</li></ul>	A CONTRACTOR OF A CONTRACTOR	
Beneficial and a second s	A CONTRACTOR OF A CONTRACTOR	
A Section of the	A CONTRACTOR OF A CONTRACTOR A C	



• 301, Kingston, Tejpal Road, Ville Parle (East) Mumbai - 400 057.



# Goldcoin Angel CPP Film Pvt. Ltd.

Goldcoin Group - India and Angel Products Company - Thailand diversified in new era of success with great experience and new exposures to touch endless heights of growth in flexible packaging industry. Our aim is to be an internationally well-known enterprise in the field of food packaging products. We are focusing on research and development of environment-friendly materials for flexible packaging segment.



#### **CPP Film Technical Specifications**

Properties	Test Method	Unit	Typical Value
Thickness	D-375	Micron	18 to 80
Film density	D-1505	Gm/cc	0.91 / 0.95
Grammage	D-2673	Gms/Sq.mtr	16.38 to 76
Treatment level	D-2578	Dyne/cm	38 to 42
Coefficient of friction	D-1894	N/A	0.16 to 0.25
Heat seal initiation temperature	F-88	±2 C	95 to 130

Made From FDA Approved Polymers



# 09 | TRANSPARENT CPP FILMS

#### Description

GC-CPL is Co-extruded transparent films with one side corona treated and other side sealable.

#### Applications

Noodles packaging • Shampoo packaging • Pasta packaging • Dry fruits packaging • Snacks foods • General food pack

#### Features

Transparent, hygenic, dust free & non toxic • Good optics • Consistent slip • Good machinability • Good hot tack • Good seal lintegrity











## **METALIZED CPP FILMS**

#### Description


GC-CPM is Co-extruded transparent for metallization. It is one side corona treated and other side sealable. To be metallized on corona side.

#### **Applications**

Namkeen • Pan masala • Candy

#### Features

Excellent mechinability • Excellent sealing strengh • Superior metal anchorage



## WHITE OPAQUE CPP FILMS

#### Description

09 CPP Films

GC-CPL is Co-extruded white opaque film with one side corona treated and other side sealable

#### **Applications**

Biscuit • Pouch • Ice candy • Sanitary pad • Soap • Diapers

#### Features

Excellent gloss & improved opacity • Consistent slip • Good mechinability • Excellent sealing integrity

• Whiteness eliminates the need for white ink • Excellent hot tack











## **BREAD OVER WRAP CPP FILMS**

#### Description

GC-CPBR is Co-extruded transparent CPP films one side corona treated and both side heat sealable

#### Applications

Bread Packaging

#### Features

Good optical properties • Low slip for high speed packaging • Excellent machinability • Excellent hot tack

## **RETORT CPP FILMS**

#### Description

09 CPP Films

GC-CPL is Co-extruded transparent CPP films one side treated for aseptic / retort packaging

#### Applications


Ready to eat food • Masala pack • Meat pack • Microwave • Hot filling • Corn packaging

#### Features

Excellent sterilization performance • Excellent lamination adhesive anchorage • High seal strength



Green F







## PEELABLE CPP FILM

#### Description

GC-ATFG our peelable CPP film is an co-extruded polypropylene film one side be designed for aseptic / retort packaging as the sealing layer, the other side treated with corona to be laminated with other material.

#### **Applications**

Ready to eat food • Masala pack • Meat pack • Cold filling

#### **Features**

121 °C resistant for 45 min • Cold resistance by -10 °C • Lidding cup, box, tray with PP material • Easy or hard to peal off





# **ANTIFOG CPP FILM**

#### Description

09 CPP Films

GC-ATFG our CPP antifog lamination films efficiently prevent misting of tranparent lidding and are suitable for numerous peelable and lock seal applications. Typical applications are fresh vegetables, microwave dishes, meat and convenience food. The demands on quality by the consumer are high; a clear view of the product - despite closed container - as a convincing argument for freshness. Unique product characteristics without compromise.

#### **Applications**

Ready to eat food • Masala pack • Meat pack • Microwave • Hot filling • Corn packaging • Cold filling

#### **Features**

Earlier sealing • Good sealing window • For different sealing application with the advantages of high seal integrity • Film bond are maintained reaction when laminating, imprinting or sealing.







## **METPET FILM**

#### Description

GC-MTPT our PE coating packaging film is an untreated metallized PET film coated transparent PE film that combines high strength and durability (2 ply), good dimensional stability and excellent barrier properties. Our PE coating packaging film maintains these characteristics and is also hot melting treated on one side to enhance adhesive to other materials.

#### Applications

EPE foam • XLPE foam • Rock wool • Glass wool • Air bubble reflactor insulation • Nitrile foam rubber

#### Features

Hot melting provides good surface adhesion for other materials • Can be pested or laminated using methods suitable for hot melting treated polyester • Excellent handling characteristics • Available in special grade suitable for lamination.



#### Description

09 CPP Films


GC-AFIM is Combine with aluminum foil laminate with pet and coated with PE (3 ply). It is economical solution for a wide range of industrial, manufacturing, packaging and consumer application. Such as for industrial sheds, commercial buildings, home insulation, roof insulation, packaging, material to the sensitive products

#### Applications

EPE foam • XLPE foam • Rock wool • Glass wool • Air bubble reflactor insulation • Nitrile foam rubber

#### **Features**

Strong at high temperature • Good embossing performance • PET + Aluminum foil + PE








## **MEDICAL GRADE CPP FILM**


#### Applications

Syringe packaging • Operation blade packaging

#### Features

Excellent sterilization performance • Good optics • Good mechinability • Good seal integrity








#### Applications

Steel coil wrapping • Cable wire drum wrapping • Metal packaging • Separator part • Automobile packaging

#### Available product range


No.	Thickness (mm)		GSM
01	2mm to 5mm		125 GSM to 20
Width av	ailable : Upto 2400mm	Standard si	<b>ze :</b> 1220mm x 18

#### Available product range















Width & Length

000 GSM

As per you requirement

830mm | Roll form and sheet available





Grey

Yellow



#### Goldcoin Angel CPP Film Pvt. Ltd.

- Registered office Sr. No. 79, N.H. 27, Village : Shapar, Dist.: Rajkot - 360 024, Gujarat (INDIA)
- Manufacturing Unit Village: Piplana, Near JK Petrol pump, Dist.: Rajkot - 360 030, Gujarat (INDIA)



#### **Mumbai Marketing Office**

301, Kingston, Tejpal road, Ville Parle (East) Mumbai - 400 057

#### **International Sales Contact**

- Sangkok, Thailand 99/8-9 Hnonggraongay, Sainoi, Nonthaburi 1150
- 🔇 Mr. Bharat Vedia | +66 81375 4122 🛛 🎽 Bharatvedia@gmail.com

# **BUBBLE FLOOR PROTECTION SHEET AND ROLL**

#### Applications

Bubble floor protection is used for tiles / marble protection during the work of colour and furniture of residential house, offices, showroom, etc.

#### Available product range

No.	Thickness (mm)	GSM	Width & Length
01	2.5mm / Custamisable	125 GSM to 2000 GSM	As per you requirement

Width available : Upto 2400mm | Standard size : 1220mm x 1830mm | Roll form and sheet available



Note : Sheet size & colour can be customize

www.goldcoinangelcppfilm.com



+91 99241 22279 Rohit@goldcoinangelcppfilm.com

#### **Bubble Marketing Team**

+91 99241 77795 Bubble@goldcoinangelcppfilm.com

+91 99241 02599 Bubble1@goldcoinangelcppfilm.com



Card ale the

## Goldcoin Abrasive Pvt. Ltd.

Goldcoin Abrasive being under the umbrella of Goldcoin Group is into manufacturing of a complete range of Scrub Pads, Abrasive Pads specifically are used for all household cleaning as well as industrial applications. These products are being manufactured by hi-tech Air Laid Technology with a state of the art manufacturing setup and under very strict production & quality control measures.

# Goldcoin Abrasive



## **10 GLORIOUS HOUSEHOLD PADS**

Ideal for effective cleaning of any stain and germs from countertop, stainless steel or ceramic surface

Scouring pad sponger wipe high quality sponge, pliable scouring pad, let you enjoy a cleaning kitchen life.





#### Benefits

- Resist sponge odors, staining and crumbling caused by bacteria Multipurpose powerful cleaning action
- Combines powerful cleaning action with less scratching Antibacterial Flexible and comfortable Helps clean stuborn stain and still safe to use on non-stick surface

#### Application

Stainless steel sinks • Ceramic surface • Kitchen work top, utensils and equipment • Enamel basin, bath and chrome tiles

## HAND PADS

Size	Thickness	Colour
75mm x 100mm Customisable	10mm - 25mm	Green / Red / Black

#### **Features**

High quality nylon fibre pads

• Anti-bacterial formule

• Flexible and soft scrubbing

#### Application

Kitchen work tops, utensils & equipment

- Stainless steel sinks
- Enamel basin, baths and chrome tiles



Effort saving

### **SPONGE HAND PAD**

Size	Thickness	Colour
75mm x 100mm	5mm - 10mm	Green pad with
	Nylon pad	yellow sponge

#### **Features**

High quality nylon fibre with soft sponge

- Soft cleaning with sponge, heavy stain cleaning with scrub
- Ceramic surfaces Non-stick pans
- Natural cleaning solution works on everything from your stovetops to your countertops



Fume hood is more suitable





Excellent surface effects



Strong flexibility & easy use



Powerful cleaning







Cleaner stove table



Does not hurt pots and bowls



Special for oil cleaning



## **SPARKLE**

Size	Thickness	Colour
75mm x 100mm Customisable	10mm / Customisable	Green / Customisable

#### Features

Easy use and strong flexibility • Powerful cleaning

- With silver stain cutters It has every layer uniformly distributed abrasive
- Silver refers to colour only as a visual cue of presence of Alox.



## **ANTI BACTERIAL**

Size	Thickness	Colour
75mm x 100mm	10mm /	Green, Black,
Customisable	Customisable	Red and Blue

#### Features

Prevents germ growth

• Reduces residual of ad smell • Helps remove tough stain like grease

• It has anti-bacterial activity that arrest bacterial growth which reduces bad smell by 95% • Superior cleaning



## **HEAVY DUTY**

Size	Thickness	Colour
75mm x 100mm Customisable	25mm /	Red, Green, White
	Customisable	and Customisable

#### Features

Powerful cleaning on sticky stain

- Heavy duty cleaning in utensils like tava, kadai, pressure cooker and etc.
- Powerful action on sticky stain.



## **NON-ABRASIVE** WHITE-PAD (Non Scratch)

Size	Thickness	Colour
75mm x 100mm Customisable	25mm Customisable	White

#### **Features**

Made of scratch free material • Protects your delicate items

• Best for cleaning mirror, Non stick pans and

delicate surface / items • Also used in automobile cleaning

• Tiles grout cleaning

## **TILE BRUSH** (Bathroom scrubber)

Size	Thickness	Colour
4.5" x 6.5"	22mm x 25mm	Green, Red, Black
		and White

#### **Features**

Thick pad with handle

- Unique triangular head to help reach difficult areas
- Best for cleaning floor and bathroom tiles













## 11 G-747 MEDIUM ALO HAND PADS

Product code	Grit	Colour	Size
G-747	Very fine	Maroon / Green	150mn

Heavy duty ALO medium tan handpads for hand sanding & machine sanding applications

#### Features

Premium quality Nylon fiber • High performance ALO grain

• Synthetic water proof resin bond • Multi-coat • Superior finish

## G-644 MEDIUM **COURSE HANDPADS**

Product code	Grit	Colour	Size
G-644	Fine	Maroon / Green	150m

#### Features

Tough nylon fibre high strength • Synthetic water proof resin bond

• Superior finish

#### Benefits

Long lasting • Suitable for deburring

• Polishing and finishing of aerospace components

## **G-748 ALO ULTRAFINE** HAND PADS

Product code	Grit	Colour	Size
G-748	Ultra fine	Maroon / Green	150mr

Medium duty ALO Ultra fine hand pads for hand sanding & machine sanding application

#### Features

Tough nylon fibre high strength • Synthetic water proof resin bond • Superior finish • Final finish on wood / metal / acrylic





m x 230mm





nm x 230mm







\

# G-746 H HEAVY DUTY (Extreme hard)

Product code	Grit	Colour	Size
G-746	Medium	Maroon / Gray	150mm x 230mm



#### SILICON CARBIDE IN MEDIUM GRIT

#### Features

Premium quality Nylon fiber • Synthetic water proof resin bond

- High performance ALO grain Single coat Excellent finish
- Blending deburing 2 x life Removes rust and oxidation



#### **Product availability**

Product type	Brand
Black stripping pad - 7400	Armourx floor pad
Heavy-duty scrubbing	Black
Suitable for rough industrial floors	
Green cleaner pads - 5400	Armourx floor pad
Wet and heavy-duty scrubbing pads	Green
Suitable for irregular concrete floors	
Red buffer pad - 6400	Armourx floor pad
Dry buffing and spray buffing on all types of floors	Red
Light scrubbing on marbles	

White polish pads - 4100 Dry polishing and polishing with mist. Imparts highgloss on marble and granites

### Features

Made from high strength non woven abrasive web, for cleaning and maintenance of floors • Runs at 175 to 350 RPM • Can be used along with alkaline cleaner solution





# **GOLDCOIN** <sup>©</sup> OUR CERTIFICATION









# Marketing ♥ +919 ♥ info@ge

+91 99241 83470goldcoinabrasive@gmail.com

Armourx floor pad

White

## Goldcoin Abrasive Pvt. Ltd.

#### • Manufacturing Unit

Survey no. 171, Plot no. 61 to 65, Veraval padvla main road, Padvala, Ta. Kotda, Dist.: Rajkot - 360 030, Gujarat (INDIA)

www.goldcoinabrasive.com

+91 91571 89970
 info@goldcoinabrasive.com

# **Goldcoin Abrasive Wheels**

Goldcoin abrasive wheels specializes in production of non-woven polishing wheels for industrial use. They are manufacturing and suppling abrasive products and grinding wheels that are engineered to perform optimally in complex and challenging applications.


### **Armourx Products**

Abrasive wheels are rotating wheels made of abrasive particles bonded together to form a solid, circular shape. They are commonly used in industrial applications for cutting, grinding, and polishing a variety of materials, including metal, stone, and concrete. The abrasive particles on the surface of the wheel wear down the material being worked on, creating a smoother surface or a desired shape. Abrasive wheels are available in different types, shapes, and sizes, and are selected based on the application and the material being worked on. Goldcoin Abrasive Wheels specializes in producing Non Woven Polishing wheels, which are made by bonding synthetic fibers with abrasive particles to create a durable and flexible wheel for polishing and finishing metal surfaces.

## Application

It is used for finishing and grinding of such hardware work pieces as castings, manual tools, knives and stainless products, as well as clearing of welding points and finishing of auto and motorcycle fittings.





### **Product Specification**

Product Specification	Colour	Density standard	Weight	Quantity (Pieces / carton)
100 MM x 13 MM	Maroon / Black	U1 / 5P U3 / 7P U5 / 9P U8 / 12P	40 - 45 Gram 45 - 50 Gram 50 - 55 Gram 55 - 60 Gram	300
100 MM x 15 MM	Maroon / Black	U1 / 5P U3 / 7P U5 / 9P U8 / 12P	40 - 45 Gram 45 - 50 Gram 50 - 55 Gram 55 - 60 Gram	300
6 x 1 Inch	Maroon / Black	U000 / 2P U00 / 3P U0 / 4P U1 / 5P U3 / 7P U5 / 9P U8 / 12P	50 - 90 Gram 95 - 115 Gram 115 - 125 Gram 135 - 145 Gram 150 - 170 Gram 180 - 190 Gram 200 - 210 Gram	80

Page 72 | www.goldcoingroups.com

Abrasive Wheels

6 x 2 Inch	Maroon / Black	U000 / 2P U00 / 3P U0 / 4P U1 / 5P U3 / 7P U5 / 9P U8 / 12P	160 - 180 Gram 190 - 210 Gram 220 - 240 Gram 260 - 280 Gram 330 - 350 Gram 375 - 405 Gram 460 - 500 Gram	40
8 x 1 Inch	Maroon / Black	U000 / 2P U00 / 3P U0 / 4P U1 / 5P U3 / 7P U5 / 9P U8 / 12P	145 - 165 Gram 165 - 185 Gram 210 - 230 Gram 245 - 265 Gram 285 - 310 Gram 360 - 380 Gram 410 - 430 Gram	40
8 x 2 Inch	Maroon / Black	U000 / 2P U00 / 3P U0 / 4P U1 / 5P U3 / 7P U5 / 9P U8 / 12P	260 - 290 Gram 350 - 380 Gram 410 - 450 Gram 500 - 530 Gram 600 - 650 Gram 700 - 750 Gram 800 - 850 Gram	20
10 x 2 Inch	Maroon / Black	U1 / 5P U3 / 7P U5 / 9P U8 / 12P	750 - 800 Gram 920 - 970 Gram 1000 - 1050 Gram 1250 - 1310 Gram	20
12 x 2 Inch	Maroon / Black	U1 / 5P U3 / 7P U5 / 9P U8 / 12P	1050 - 1150 Gram 1300 - 1400 Gram 1600 - 1650 Gram 1820 - 1950 Gram	20
14 x 2 Inch	Maroon / Black	U3 / 7P U5 / 9P U8 / 12P	1720 - 1820 Gram 2050 - 2150 Gram 2450 - 2550 Gram	10

	Mr. Divyaraj Gohil	Mr. A
	Director	Directo
-	+91 96015 17387	• +
-	<ul> <li>Divyaraj@goldcoinabrasivewheels.com</li> </ul>	A S
	Goldcoin Abrasive Wheels	
	Survey no. 118, Plot no. 29/10, Naranka	road,

- Shreeji Ind. Area, Tal. Kotda sangani, Dist. Rajkot 360 024
- www.goldcoinabrasivewheels.com

### **Goldcoin Abrasive Wheels**



Abhi Parekh tor

+91 70698 51870 Abhi@goldcoinabrasivewheels.com

We have various style of corrugated boxes available for you to choose from such as



Goldcoin Packaging Industries deals in manufacturing Kraft Paper Corrugated Box. Here we have a wide range of corrugated boxes available i.e., (3 PLY, 5 PLY AND 7 PLY) with various Paper specification as per customer requirement.

Types of Printing Available are Rotogravure Printing and Stereo Printing.





Full overlap container (FOL)





Jumbo Box

Coated box



### **Goldcoin Packaging Industries**







Mailer Box



rital







Shivalay Goldcoin Wooden Industries specialises in production of Wooden Crates, Box and Pallets. These are used by Manufacturing and Automotive Industries during transit of their products between Factories or Warehouses. Wooden Box and Pallets are ideal for Fragile items.

### Features

Excellent Shelf Life • Suitable for Fragile Items • Easily stackable • Reusable • Available with Collars and Lids • Ideal for Pallet Magazines and Automated Production lines











Plot no. 03, Survey no. 84, Near Goldcoin foam Pvt Ltd, Shapar (Veraval), Rajkot - 360 024.







65

100

100







Antistatic EPE Foam Fitment

Air Bubble Pouch

Fitment

# 15 Total Innovative **Packaging Solutions**

Goldcoin Group has been into the manufacturing of Rigid & Flexible Packaging products since 2005 and has gained its market position as one of the leading quality manufacturers in India. We have realized over these years that packaging is one of the most important component for any product to be successful as it protects, preserves and delivers them with ease and convenience. With the vast experience over these years and also the feedback and information from the market, we have gone ahead with the forward integration in terms of putting up converting/fabrication units across various locations inorder to cater to Electronics, White goods and Automobile, Renewable energy & Insulation giants.

We started this exercise 10 years back and have been successful in installing multiple converting/fabrication units across India and continuously striving to expand our base in other territories as well.

Today, we are proud to positions ourselves as just not only product suppliers but also complete packaging solution providers where we assist our customers based on their functional requirements, to develop customized products suiting to their specific applications. With this our customers just have to discuss their requirement and we deliver them, through our expertise, total solution for their packaging needs.

With a wide array of 15 varied products, we are capable of developing the complete solutions inhouse, thus providing our customers with reliable, robust and functional packaging products.

Our vision is to be in the proximity of all the major manufacturing giants, there by committing them and delivering the right solution with Just in Time concept to their door steps.





LD Film


Polyoly Shrink Film



**Kraft Paper Box** 









EPE Foam

**PP** Sheet

**PP** Tray



PP Box

PP Box



**PP** Partition




**PP** Tray



**EPE Foam Tray** 



\_ |





XLPE Foam Fitment

XLPE Foam Fitment





**XLPE** Laminated Foam

a



XLPE Foam Fitments



**EPE Foam Pouch** 





**EPE Foam Roll** 



Big Size Air **Bubble Pouch** 



XLPE Foam Fitment



Kraft Paper Box with EPE Fitment



PP Boxes




EPE Foam Fitment

PP Tray with Foam Fitment



PP Tray

PP Tray



PP Tray with Seprator



**XLPE** Fitment



**XLPE** Fitment



EPE Foam Fitment



PP Box







XLPE Foam



**EPE** Profiles



Kraft Paper Box with EPE Foam Fitments





PP Box with Top Bottom Lid



PP Box

**PP** Printed Sheet



PP Sheet for Hoarding



PP Box







PE Strech Film PE Strech Film

PP Bin



PP Sheet Hoarding

PP Sheet Hoarding



PP Stand





PP Stand

EPE Foam Buffer



Pouch

Air Bubble



Anti Static Air Bubble Film Pouch



Air Bubble Film



EPE Foam Fitment



Printed PP Sheet



EPE Foam Fitment



PP Display Box



Air Bubble Film Pouches






PP Tray



PP Tray with Partition



PP Tray



EPE Foam Fitments



EPE Foam Pouch



# • Rajkot


Rajkot



Mr. Chirag B. Sidpara Director

## **09. Goldcoin Polypack Industries** Metoda, Rajkot

- Kishan gate no. 3, Plot no. G-1045 Road no. 1-B, C/o Nd Engineers, Behind Durga weigh bridge, Metoda G.I.D.C., Lodhika, Rajkot - 360 021
- +91 97377 55055
- ☑ goldcoinpolypack70@gmail.com



Director

## **10. Goldcoin Polypack Industries** Kothariya, Rajkot

- Shed.no.2, Ground floor & First floor, Ankit industrial area, Near Maldhari railway crossing, Kothariya, Rajkot - 360 002
- +91 99241 22455
- ☑ goldcoinpolyind@gmail.com

## 11. Maruti Packaging Shapar, Rajkot

- Rajkot
- Survey no.59, Plot no.30, Polite industrial area, Tal. Kotda sangani, Shapar, Dist. Rajkot 360 024



Mr. Chintan Viradiya Director

- +91 96382 68475
- marutipackaging70@gmail.com

+91 99241 13715 🔇 marutipackaging70@gmail.com 💟



## 12. Goldcoin Packaging Ahmedabad

- Plot no.3 Patel estate, Op. Kalpataru paper mill, Nr. Khatraj chokdi, khatraj, Gandhinagar, Gujarat- 382 721
- Plot no. 6 Maruti Indstrial Park-1, Dhanatvam, Bakrol, Ahmedabad, Gujarat- 382 435.



# 13. Goldcoin Technopack Changodar, Ahmedabad

Survey no. 427, Steel town - 4, Industrial estate, Near Unison pharma, Moraiya, 0 Changodar, Ahmedabad, Gujarat - 382 213



+91 99241 42742 dhruvil@goldcoingroup.co.in

# 14. Golcoin Multipack Pvt. Ltd., Vadodara

• 34, Navdurga industrial park, NH no.08, At Post: Sankarda - 391350, Vadodara, Gujarat - 391350 🌐 www.goldcoinmultipack.com



# +91 97234 61607 ☑ goldcoinmultipack@gmail.com

+91 97234 61699 🔇

# Mr. V. K. Raiyani

Director

goldcoinmultipack@gmail.com 💟



# • Ahmedabad

www.goldcoinpackaging.com

+91 99249 92699 ✓ gangapackamd@gmail.com

> +91 99241 24070 🔇 info@goldcoinpackaging.com



Director

• Ahmedabad

+91 99241 13970 🔇 goldcointechnopack70@gmail.com



Director

• Vadodara



### 15. Goldcoin Multipack Industries, Vadodara

Plot no.61, Sr no.50/B, TDT infra Ltd. Industrial park. Lamdapura, Vadodra, Gujarat - 391 775 🌐 www.goldcoinmultipack.com




Director

+91 97234 61677

☑ goldcoinmultipack@gmail.com

+91 99744 61607 🔇

goldcoinmultipack@gmail.com 💟



- Plot no.32, Daman ganga industrial park, Degham road, Vapi, Valsad, Gujarat - 396 195
- www.goldcoinpkg.com

#### Mr. Dharmendra Shah Director

- +91 7715044441
- ☑ info@goldcoinpkg.com
- +91 9920827686 🔇 sales@goldcoinpkg.com



# 17. Goldcoin Packaging Pvt. Ltd., Vasai, Mumbai

Plot no.77, Apple industrial hub, Survey no. 219, Hissa no.1, Western express highway, Pelhar, Nallasopara east, Palghar - 401 208



• Mumbai

# • Vapi

Mr. Lokesh Raiyani

Director

• Vadodara

# 18. Goldcoin Packaging Corporation, Navi Mumbai

Plot no. PAP-393 & PAP-A-394, Block sector, Mahape road, TTC industrial area, Kopar khairane, Thane - 400 709 🌐 www.goldcoinpkgcorporation.com

#### Mr. Krish Shah Director

- +91 99208 27686
- sales@goldcoinpkgcorporation.com

### 19. Goldcoin Packaging Soultion, Pune

- GAT NO. 191/1, New gaothan, Sadguru nagar, Opp. Mahalunge kaman, Pune-chakan, Maharashtra - 410 501
- Plot D-228, Ranjangaon industrial area, MIDC, Village Karegaon, Tal - Shirur, Pune, Maharashtra - 412 220
- www.goldcoinpkgsolutions.com

#### Mr. Dharmendra Shah

Director +91 7715044441

☑ info@goldcoinpkg.com

### 20. Goldcoin Hitech Packaging, Hyderabad

- SY No. 134/P, IDA, Gagan pahad, Rajendra agarwal mandal, Rangareddy, Dist. Hyderabad - 500 077
- +91 99241 42770
- goldcoinhitechpackaging70@gmail.com

#### Sales

- +91 99208 27686 0
- Sales@goldcoinpkg.com

+91 77150 44441 🔇 info@goldcoinpkg.com 💟





• Pune

• Mumbai

+91 89565 52973 🔇 info@goldcoinpkgcorporation.com



+91 77700 88337 🔇 info@goldcoinpkgsolutions.com 💟

# • Hyderabad



Director



With our phenomenal growth over these years and overwhelming acceptance by our customers from various parts of the world, we eventually decided to start our base in Australia, where quality is the prime requirement.

With a full fledged warehousing facility in Adelaide We are successful in Penetrating in Australia & New Zealand market with most of our products range.

### **PP Flute Sheets**



Page 88 | www.goldcoingroups.com

Distribution Centre

# **PE Stretch Film**






### **XLPE Insulation Foam**



### **Thermbarrier Tubes**





- +61 430544150

Mr. Nirav Bhadani Director







# • Australia

# Goldcoin Packaging (Australia) Pvt. Ltd.

- 153, South Road, Ridleyton, Adelaide, SA 5008
- ☑ info@goldcoinpackaging.com.au
- www.goldcoinpackaging.com.au

# **GOLDCOIN**<sup>®</sup>

# **EXHIBITIONS PARTICIPATED**



Visit to Prime Minister Office December - 2016 - Delhi



Visit to Prime Minister Office December - 2016 - Delhi

GOLDCOIN

Clean India SHOW





**ISSA Cleaning Expo** Melbourne





**Engineering Expo** Rajkot



PLASTINDIA FOUNDATION







10"PLASTIVISION

Plastivision Mumbai

**Clean India** 

Mumbai

GOLDCOIN





10"PLASTIVISION

Plastivision Mumbai





IPF Japan





Saudi HVAC Expo Jeddah



BOUF HUBA

**Roof India** India









Baku Build Russia



PLASTINDIA FOUNDATION

Plastindia Delhi



pacprint NSIII MAET

Pacprint- Melbourne Australia





Printpack Delhi

# OUR VALUABLE **CUSTOMERS**

\_ |

GOLDCOIN<sup>®</sup>

1

Reliance		CHEMISTRY THAT MATTERS	
NEXA ⊗ maruti suzuki		adani	Mahindra
HONDA	Abbott A Promise for Life	Nilkamal	<b>LG</b>
KANSAI NEROLAC	Cipla	LUPIN	Goorej
Kurlon	europa	emami	
AUTO LTD.	vodafone	<b>it</b> Fortis	ALKEM
FASHIONING POSSIBILITIES	Bhilosa Industries Pvt. Ltd.	Sterlite	DuroSleep
		Gaulam	BLUE SEA INDUSTRIES
Sulfex"	BTSL	🔊 CHIRIPAL	
PELICANS GLOUP	Valeo SMART TECHNOLOGY FOR SMARTER CARS	Civitech Services Pvt. Ltd.	
	FEATHER SPINTEX PVT LTD.	Sleep Fine	R
	ALOK	OCL INDIA LIMITED	Radisson
TEMPTATION Rubbles bed Care Matters		ZaubaTCorp	

PUREREST	President Martinessee
GOBLIN <sup>®</sup> we're about lwygage	JEKSON
BATION PACKGING INDEX FRIDATE EDITED States in Restly Subsymp Reset?	💣 🕂 steamhouse
Atal Coach	JBF Industries Itd
Indebernie	Fuel Instruments & Engineers Pvt. Ltd. Periore: Redenilip
Coir-on	KAUSHIK COTTON CORPORATION
	<b>HBROFLEX</b>
CERA Complete Home Solutions Provider	ThermoFisher SCIENTIFIC The world leader in serving science
Motherson Sumi Systems Limited	
Vadalia	SHAKMAN MARING AGECULTURE MORE ECONOMICAL®
amazon.com	
	www.goldco

































BANCO

